

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12459	(krishnan manjunath das).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:35
L2	24	(threads and virtual and platform and interface).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:35
L3	0	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:36
L4	410	718/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:36
L5	410	718/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:36
L6	1392	718/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:36
S1	305	thread same interface same layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:34
S2	79	thread with interface with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 11:20
S3	2	(thread with interface with layer) and (virtual near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 11:20

S4	59	(thread with interface with layer) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 11:23
S5	4	((thread with interface with layer) and @ad<="19990709") and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 11:22
S6	4	((thread with interface with layer) and @ad<="19990709") and virtual) and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:49
S7	229	(thread same interface same layer) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 11:24
S8	12	((thread same interface same layer) and @ad<="19990709") and (software adj system) and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:37
S9	1636	context adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:46
S10	4	(context adj information) same (thread with (interface or layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:40
S11	1	((context adj information) same (thread with (interface or layer))) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:40
S12	1198	(context adj information) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:41
S13	164	((context adj information) and @ad<="19990709") and thread and (interface or layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:41

S14	30	((context adj information) and @ad<="19990709") and thread and (interface or layer) and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:46
S15	16	((((context adj information) and @ad<="19990709") and thread and (interface or layer) and (virtual adj machine)) and platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:45
S16	2	(context adj information) same (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:48
S17	2	((context adj information) same (virtual adj machine)) and value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/07/31 17:49
S18	2	(suspend and resume and wait and yield and stop and priority) with thread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/01 11:32
S19	12	thread near3 interface near3 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 15:26
S20	173	standard near3 interface near3 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 15:26
S21	1	(thread with interface with layer) and (standard with interface with layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 15:56
S22	13	standard adj interface adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 15:59
S23	13	(standard adj interface adj layer) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 15:58

S24	1	standard adj thread adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:00
S25	1	thread adj interface adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:00
S26	46	standard with thread with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:00
S27	39	(standard with thread with interface) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:01
S28	2	((standard with thread with interface) and @ad<="19990709") and (thread with interface with layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:04
S29	0	(standard with thread with interface) same (thread with interface with layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:02
S30	29	(thread with interface with layer) same (thread near3 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:07
S31	23	((thread with interface with layer) same (thread near3 interface)) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 17:49
S32	3	((((thread with interface with layer) same (thread near3 interface)) and @ad<="19990709") and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 16:09
S33	0	platform with ((threads near2 interface near2 layer) and (processor register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 17:51

S34	0	platform same ((threads near2 interface near2 layer) and (processor register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 17:51
S35	0	platform same ((threads near2 interface near2 layer) and (processor near2 register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 17:51
S36	2	platform same ((threads or interface near2 layer) and (processor near2 register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 17:52
S37	0	platform same (threads near2 interface near2 layer) and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 17:53
S38	2845	platform same ((threads or interface near2 layer) or (processor near2 register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:05
S39	1	platform same ((threads with (interface adj layer) and register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:09
S40	10	(context adj information) with platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:11
S41	5	((context adj information) with platform) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:10
S42	0	((context adj information) and register) with platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:12
S43	1126	register with platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:12

S44	6	(processor adj register) with platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:23
S45	0	(processor adj register) with platform with value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/06 18:23
S46	1	(US-20010049686-\$).did.	US-PGPUB	OR	OFF	2003/01/26 14:24
S47	0	((US-20010049686-\$).did.) and parallel	USPAT	OR	ON	2003/01/26 14:24
S48	29	(parallel and task and virtual).ab. and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/27 09:55
S49	0	((two\$1tier adj layer) same threads) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/08 09:55
S50	1227	((two or double) adj layer) same threads) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/08 09:56
S51	3	((((two or double) adj layer) same threads) and @ad<="19990709") and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/08 09:56
S52	68	((((two or double) adj layer) same threads) and @ad<="19990709") and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/08 09:56
S53	1	(US-20010049686-\$).did.	US-PGPUB	OR	OFF	2003/08/08 10:11
S54	0	((US-20010049686-\$).did.) and platform	USPAT	OR	ON	2003/08/08 10:17
S55	0	((US-20010049686-\$).did.) and platform\$12	USPAT	OR	ON	2003/08/08 10:16
S56	0	((US-20010049686-\$).did.) and platform\$15	USPAT	OR	ON	2003/08/08 10:16
S57	0	((US-20010049686-\$).did.) and platform\$	USPAT	OR	ON	2003/08/08 10:17
S58	1	((US-20010049686-\$).did.) and platform	US-PGPUB; USPAT	OR	ON	2003/08/08 10:17

S59	1	(US-5930511-\$).did.	USPAT	OR	OFF	2003/08/08 10:47
S60	1	(US-3858182-\$).did.	USPAT	OR	OFF	2003/08/08 11:06
S61	0	((US-3858182-\$).did.) and thread	USPAT	OR	ON	2003/08/08 11:06
S62	9	(US-6389402-\$ or US-3858182-\$ or US-6269391-\$ or US-5630128-\$ or US-6158045-\$ or US-5619710-\$ or US-5640584-\$ or US-5930511-\$).did. or (US-20010049686-\$).did.	US-PGPUB; USPAT	OR	OFF	2003/08/08 11:27
S63	39	((context adj information) with thread) and @ad<="19990709"	USPAT	OR	ON	2003/08/08 11:29
S64	25	((context adj information) with thread) and sav\$5 and @ad<="19990709"	USPAT	OR	ON	2003/08/08 11:52
S65	5	((US-6389402-\$ or US-3858182-\$ or US-6269391-\$ or US-5630128-\$ or US-6158045-\$ or US-5619710-\$ or US-5640584-\$ or US-5930511-\$).did. or (US-20010049686-\$).did.) and priority	USPAT	OR	ON	2003/08/08 11:53
S66	2	((US-6389402-\$ or US-3858182-\$ or US-6269391-\$ or US-5630128-\$ or US-6158045-\$ or US-5619710-\$ or US-5640584-\$ or US-5930511-\$).did. or (US-20010049686-\$).did.) and (priority with thread)	USPAT	OR	ON	2003/08/08 11:53
S67	11	(US-5421014-\$ or US-6389402-\$ or US-5630128-\$ or US-3858182-\$ or US-6269391-\$ or US-6158045-\$ or US-5619710-\$ or US-5930511-\$ or US-5640584-\$ or US-6427161-\$).did. or (US-20010049686-\$).did.	US-PGPUB; USPAT	OR	OFF	2003/08/16 13:11
S68	1	((US-5421014-\$ or US-6389402-\$ or US-5630128-\$ or US-3858182-\$ or US-6269391-\$ or US-6158045-\$ or US-5619710-\$ or US-5930511-\$ or US-5640584-\$ or US-6427161-\$).did. or (US-20010049686-\$).did.) and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 13:11
S69	9	legacy and non\$1legacy and task and processing and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 13:23

S70	5	(legacy and non\$1legacy).ab. and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 13:33
S71	0	(legacy and non\$1legacy).ab. and on\$1line and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 14:47
S72	1	(US-6546437-\$).did.	DERWENT	OR	OFF	2003/08/16 13:33
S73	1	((US-6546437-\$).did.) and (device micro\$1device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 13:36
S74	0	("6546437B1").PN.	USPAT; USOCR	OR	OFF	2003/08/16 13:36
S75	1	("6546437").PN.	USPAT; USOCR	OR	OFF	2003/08/16 13:37
S76	1	(("6546437").PN.) and device	USPAT	OR	OFF	2003/08/16 13:38
S77	1	((("6546437").PN.) and device and legacy and non\$1legacy	USPAT	OR	ON	2003/08/16 13:38
S78	0	(legacy and non\$1legacy) and on\$1line and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 14:57
S79	12	(legacy and non\$1legacy) and (on\$1line network LAN ethernet) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 15:18
S80	8	(legacy and non\$1legacy) and mode and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 15:21
S81	28	(mode with (operator and administrator)) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 15:23
S82	27	((mode with (operator and administrator)) and @ad<="19990709") and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 15:23

S83	0	(mode near1 (operator and administrator)) and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/16 15:24
S84	16	(US-5421014-\$ or US-6389402-\$ or US-5630128-\$ or US-3858182-\$ or US-6269391-\$ or US-6158045-\$ or US-5619710-\$ or US-5930511-\$ or US-5640584-\$ or US-6427161-\$ or US-6360291-\$ or US-6237018-\$ or US-6088517-\$ or US-6385211-\$).did. or (US-20010049686-\$).did. or (US-6546437-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/08/16 16:52
S85	0	((US-5421014-\$ or US-6389402-\$ or US-5630128-\$ or US-3858182-\$ or US-6269391-\$ or US-6158045-\$ or US-5619710-\$ or US-5930511-\$ or US-5640584-\$ or US-6427161-\$ or US-6360291-\$ or US-6237018-\$ or US-6088517-\$ or US-6385211-\$).did. or (US-20010049686-\$).did. or (US-6546437-\$).did.) and feeder	USPAT	OR	ON	2003/08/16 16:55
S86	0	programmer/feeder and @ad<="19990709"	USPAT	OR	ON	2003/08/16 17:23
S87	1	programmer\$1feeder	USPAT	OR	ON	2003/08/16 16:53
S88	0	((US-5421014-\$ or US-6389402-\$ or US-5630128-\$ or US-3858182-\$ or US-6269391-\$ or US-6158045-\$ or US-5619710-\$ or US-5930511-\$ or US-5640584-\$ or US-6427161-\$ or US-6360291-\$ or US-6237018-\$ or US-6088517-\$ or US-6385211-\$).did. or (US-20010049686-\$).did. or (US-6546437-\$).did.) and \$feeder	USPAT	OR	ON	2003/08/16 16:55
S89	6	((US-5421014-\$ or US-6389402-\$ or US-5630128-\$ or US-3858182-\$ or US-6269391-\$ or US-6158045-\$ or US-5619710-\$ or US-5930511-\$ or US-5640584-\$ or US-6427161-\$ or US-6360291-\$ or US-6237018-\$ or US-6088517-\$ or US-6385211-\$).did. or (US-20010049686-\$).did. or (US-6546437-\$).did.) and programmer\$8	USPAT	OR	ON	2003/08/16 16:56
S90	1114	(feeder adj system) and @ad<="19990709"	USPAT	OR	ON	2003/08/16 17:24

S91	11	((feeder adj system) and @ad<="19990709") and programmer	USPAT	OR	ON	2004/01/10 13:25
S92	2350	709/1-108.ccls. and @ad<="19990709"	USPAT	OR	ON	2004/01/10 13:25
S93	2435	709/1-108.ccls. and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:26
S94	1	(709/1-108.ccls. and @ad<="19990709") and (threads with interface) and (native with threads with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S95	6	(709/1-108.ccls. and @ad<="19990709") and (two\$1tier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:31
S96	0	((709/1-108.ccls. and @ad<="19990709") and (two\$1tier)) and 709/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:31
S97	1	(709/1-108.ccls. and @ad<="19990709") and ((virtual adj machine) same (threads with interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:33
S98	6	(709/1-108.ccls. and @ad<="19990709") and (threads with (virtual adj machine)) and (platform adj independent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:40
S99	16	(709/1-108.ccls. and @ad<="19990709") and ((application program) with (virtual adj machine)) and (platform adj independent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:40
S100	8	((709/1-108.ccls. and @ad<="19990709") and ((application program) with (virtual adj machine)) and (platform adj independent)) and 709/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 13:41

S10 1	8	((709/1-108.ccls. and @ad<="19990709") and ((application program) with (virtual adj machine)) and (platform adj independent)) and 709/1.ccls.) and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:44
S10 2	0	(((709/1-108.ccls. and @ad<="19990709") and ((application program) with (virtual adj machine)) and (platform adj independent)) and 709/1.ccls.) and interface) and (threads adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S10 3	0	(((709/1-108.ccls. and @ad<="19990709") and ((application program) with (virtual adj machine)) and (platform adj independent)) and 709/1.ccls.) and interface) and (threads with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S10 4	0	(((709/1-108.ccls. and @ad<="19990709") and ((application program) with (virtual adj machine)) and (platform adj independent)) and 709/1.ccls.) and interface) and (threads same interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S10 5	143	(709/1-108.ccls. and @ad<="19990709") and (threads with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S10 6	18	(709/1-108.ccls. and @ad<="19990709") and (threads adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S10 7	0	(709/1-108.ccls. and @ad<="19990709") and (threads adj interface adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/10 14:45
S11 8	3	thread with interface with layer with virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:32

S11 9	91	thread with (interface layer) with virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:32
S12 0	10205	native with (interface layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:48
S12 1	8	S119 and S120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:44
S12 2	0	non\$1native with (interface layer) with (platform adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:45
S12 3	3	non\$1native with (interface layer) with threads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:46
S12 4	54	native with (interface layer) with thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:46
S12 5	3	S123 and S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:45
S12 6	189	non\$1native with (interface layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:46

S12 7	187	S120 and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:55
S12 8	7	non\$1native with (interface layer) with (platform independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:48
S12 9	7	S120 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:47
S13 0	13	non\$1native with (platform adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:48
S13 1	0	S127 and S130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:48
S13 2	54	native with (interface layer) with thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:49
S13 3	15	S132 and adapt\$4 and (platform adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:49
S13 4	2	S133 and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:29

S13 5	5	S127 and ((virtual adj machine) with (adapt\$3 threads support\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:55
S13 6	1	S135 and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:55
S13 7	15	S124 and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:57
S13 8	4	S137 and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:29
S13 9	1103	((two double) adj (tier layer interface)) with thread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:29
S14 0	14	S139 and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:29
S14 1	0	S140 and @ad<="19990709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:29